

## NEWS FROM DNREC'S OFFICE OF ENVIRONMENTAL PROTECTION, 8/12/14

The biweekly E-News Update features current information on the Divisions of Air Quality, Waste and Hazardous Substances, and Water regarding public meetings, workshops, hearings, and regulatory documents available for public comment, as well as general news updates. For those of you who are receiving the E-News Update for the first time, the subscription is FREE! Please sign up at the following link under the Divisions of Air Quality and Waste and Hazardous Substances at:

<http://www.dnrec.delaware.gov/Pages/DNRECLists.aspx>

There is no form to fill out; it's done in three clicks! Suggestions? Additions? Please call Stacy Jones at 302-739-9400, or send an email to [Stacy.Jones@state.de.us](mailto:Stacy.Jones@state.de.us)

Published by DNREC Divisions of Air Quality, Waste and Hazardous Substances, and Water.

Visit us at: [www.awm.delaware.gov](http://www.awm.delaware.gov)

### SECRETARY'S ORDER

[Secretary's Order No. 2014-A-0014](#)

RE: Approval of Revision to the Delaware State Implementation Plan for Meeting Reasonably Available Control Technology Requirements Under the Federal Clean Air Act

### UPCOMING AIR, WASTE, & WATER-RELATED HEARINGS, MEETINGS, & EVENTS

**NOTICE IS HEREBY GIVEN OF A PUBLIC HEARING REGARDING PENINSULA'S COMPOST COMPANY RENEWAL APPLICATION.** The Solid and Hazardous Waste Management Section (SHWMS) hereby gives notice that an application has been received from Peninsula Compost Company (Peninsula) Wilmington Organic Recycling Center (WORC) to renew Its Beneficial Use Determination (BUD) Approval. The current BUD approves Peninsula to accept and process yard waste, wood waste, food waste, hatchery waste, and animal bedding to produce and market quality compost products at 601 and 612 Christiana Avenue in Wilmington until September 26. The public hearing will be held at the Rose Hill Community Center (Room C119, also known as the DeLaWarr Senior Center) at 19 Lambsons Lane, New Castle, DE, beginning at 6:30 PM on **August 27**. Written comments may be provided to Robert Haynes- Hearing Officer, 89 Kings Hwy, Dover, DE 19901 by noon on August 27 to ensure that they are included in the public record at the hearing. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2445&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **HSCA ADVISORY COMMITTEE (FORMERLY BROWNFIELDS ADVISORY COMMITTEE)**

– The Committee will hold a public meeting on **Sept. 4** from 9:00am-12:00pm at the DNREC Lukens Field Office, 391 Lukens Drive, New Castle, DE 19720.

For additional information, please contact Christina Wirtz at (302) 395-2600 or visit:

<http://egov.delaware.gov/pmc/Event/Details/24295>

**NOTICE IS HEREBY GIVEN OF A PUBLIC INFORMATION MEETING**, on the proposal to add additional land to the county's existing agricultural utilization program for biosolids land application. Currently, the County has an agricultural utilization permit for agricultural utilization of biosolids onto lands known as the Kent County Sludge Farm, Nyle Calloway Farm, Blessing Farm, and the Goldinger Farm. The proposed new agricultural utilization site, known as the West Farm, consists of approximately 315 acres of land of which approximately 90 acres are proposed for land application. The West Farm is located approximately 1 mile southeast of Frederica. The meeting will be begin at 6 p.m. on **September 18** at the Lake Forest East Elementary School, located at 124 West Front Street, Frederica. Accommodations are available for individuals with

disabilities. Contact Brian Churchill at (302) 739-9946 for aid or assistance. Additional information can be found at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2439&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**WATER SUPPLY COORDINATING COUNCIL MEETING** - The Council will hold a meeting on **Sept. 17** from 10am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <http://egov.delaware.gov/pmc/Event/Details/24169>

**SOURCE WATER PROTECTION CITIZEN TECHNICAL ADVISORY COMMITTEE MEETING** - The Committee will hold a meeting on **Nov. 5** from 9am to 12pm at the Kent County Administration Complex, Conference Rooms 220 A&B, 555 Bay Road, Dover, DE, 19901. Dover, DE 19901. For additional information, please contact Kimberly Burris at (302) 739-9945; or visit: <http://egov.delaware.gov/pmc/Event/Details/22083>

#### **DOCUMENTS AVAILABLE FOR PUBLIC COMMENT OR APPEAL**

**AIR QUALITY PERMITTING PROGRAM** – Notice has been given that the facilities listed below have submitted applications for air quality management permits. The applications, the “draft/proposed” permits, all materials that the applicant has submitted (other than those granted confidential treatment under DNREC rules), and a copy of summary of other materials, if any, considered in preparing the “draft/proposed” permit, may be inspected at the offices of the Division of Air Quality, 655 S. Bay Road, Dover and 715 Grantham Lane, New Castle. All comments and public hearing requests should be mailed to the following address: DIVISION OF AIR QUALITY, 655 S. Bay Road, Suite 5 N, Dover, DE 19901. To submit comments, for additional information, or for an appointment to inspect the application, please contact Penny Gentry at (302) 739-9402.

**NOTICE IS HEREBY GIVEN THAT MARTIN DEALERSHIPS, HAVING A FACILITY AT 298 EAST CLEVELAND AVENUE, NEWARK** has requested a permit to operate an auto body shop that conducts any or all of the following: collision repair, vehicle painting, paint stripping, or sanding. This auto body shop has a potential to emit less than 25 tons per year of volatile organic compounds (VOCs) under Permit # APC-2011/0160-OPERATION. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 15 days from the date of this notice, ending **August 18**. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739 – 9402 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2442&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT NRG ENERGY CENTER DOVER, LLC HAVING A FACILITY AT 1280 W. NORTH STREET, DOVER**, has submitted a request for permit renewal pursuant to 40 CFR Part 72.30(c) and 40 CFR Part 97.31(c). Based on the data and certifications contained in the applications, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739 9402. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **August 19**. For more information, please visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2427&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT NRG ENERGY CENTER DOVER, LLC HAVING A FACILITY AT 1280 W. NORTH STREET, DOVER,** has submitted a request for a permit renewal pursuant to 7 DE Admin. Code 1130, Section 7 for operating permit: AQM-001/00127. Based on the data and certifications contained in the application, the Division of Air Quality concludes that the applicant meets all applicable requirements promulgated by the Environmental Protection Agency (EPA) and the Department of Natural Resources and Environmental Control (DNREC). To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739-9402. A public hearing concerning the permitting action will not be held unless the Secretary of the Department of Natural Resources and Environmental Control receives a request for such hearing within thirty (30) days from the date of this notice, ending **August 19**. For more information, please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2426&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT ROHM & HAAS ELECTRONIC MATERIALS CMPT, INC., HAVING A FACILITY AT 451 BELLVUE ROAD, NEWARK** has requested an amendment to a federally enforceable 7 DE Admin. Code 1102 operating permit (Permit: APC-2011/0144-OPERATION) to include additional operating, monitoring, testing, recordkeeping, reporting and increased PM emission limits for the Building 5 pad conditioner and dust collection system. This amendment will increase the annual permitted PM emissions from 0.25 tons per year to 0.957 tons per year. Hourly emissions of 0.37 lb/hr will remain unchanged. The Potential to Emit is 0.957 tpy PM10. Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Operating permit into the facility's existing Title V permit (Permit: AQM-003/00033-Renewal (2)) via an Administrative Amendment. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739 - 9402. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **August 19**. For more information please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2425&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT ROHM & HAAS ELECTRONIC MATERIALS CMP, INC., HAVING A FACILITY AT 451 BELLVUE ROAD, NEWARK** has requested a federally enforceable 7 DE Admin. Code 1102 construction permit (Permit: APC-2014/0064-CONSTRUCTION) to install a new Torit baghouse to collect dust that will be generated by a new urethane polishing pad process in Building 15. The permit will limit emissions from the baghouse to 0.236 lb/hr and 1.03 tpy of particulate matter (PM). Upon completion of construction, the Department will incorporate the operating conditions and limits of the 7 DE Admin. Code 1102 Construction permit into the facility's existing Title V permit (Permit: AQM-003/00033-Renewal (2) Revision (2)) via an Administrative Amendment. A public hearing on the above application will NOT be held unless the Secretary of DNREC receives a request for a hearing regarding that application within 30 days from the date of this notice, ending **September 2**. To submit comments, for additional information or for an appointment to inspect the application, please contact Laura Bogus at the Dover Office at 739 – 9402 or visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2443&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN THAT DELAWARE CITY REFINING COMPANY LLC (DCRC)**

requests amendments to Permit: APC-81/0829-Operation (A-8)(PSD-NSR) for the Fluid Coking Unit (FCU) and Permit: APC-82/0981-Operation (A-9)(NSPS) for the Fluid Catalytic Cracking Unit (FCCU) to incorporate the EPA-approved optimized NOx emissions limits pursuant to the requirements of Paragraph 169 of Civil Action H-01-0978 (S.D. Texas) (aka "the Federal Consent Decree of 2001") at the Delaware City Refinery located at 4550 Wrangle Hill Road, DE City, DE 19706. Incorporation of the optimized NOx emissions limits for the FCU and FCCU will also satisfy the requirements in Delaware's 2014 Reasonably Available Control Technology (RACT) State Implementation Plan (SIP) Revision. This permitting action will not result in any change in emissions from these units. This notice expires **September 9**. All comments and public hearing requests should be mailed to the following address: DNREC Division of Air Quality, 655 S. Bay Road, Suite 5 N, Dover, DE 19901, (302) 739-9402. For additional information visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2448&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**NOTICE IS HEREBY GIVEN OF A PUBLIC INFORMATION MEETING**, on the proposal to add additional land to the county's existing agricultural utilization program for biosolids land application. Currently, the County has an agricultural utilization permit for agricultural utilization of biosolids onto lands known as the Kent County Sludge Farm, Nyle Calloway Farm, Blessing Farm, and the Goldinger Farm. The proposed new agricultural utilization site, known as the West Farm, consists of approximately 315 acres of land of which approximately 90 acres are proposed for land application. The West Farm is located approximately 1 mile southeast of Frederica. The meeting will begin at 6 p.m. on **September 18** at the Lake Forest East Elementary School, located at 124 West Front Street, Frederica. Accommodations are available for individuals with disabilities. Contact Brian Churchill at (302) 739-9946 for aid or assistance. Additional information can be found at:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2439&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**SITE INVESTIGATION AND RESTORATION SECTION** – The Division's Site Investigation and Restoration Section (SIRS) is responsible for the identification, evaluation and remediation of sites in Delaware that have had past releases of hazardous substances. The Section manages the contaminated sites under three major programs in accordance with the Hazardous Substance Cleanup Act (HSCA). The three programs are the Brownfields Development Program, the Voluntary Cleanup Program (VCP) and the HSCA Enforcement Program (for sites requiring enforcement action).

**FINAL PLAN OF REMEDIAL ACTION FOR THE FORMER PLAYTEX PROPERTY**

**SITE (DE-1552)** -The Department has adopted a plan regarding the clean-up of the Former Playtex Property Site located at 519 East Division Street, Dover. The remedy will consist of excavating a small poly-nuclear aromatic hydrocarbon (PAH) hotspot, notifying DNREC of any hotspots and developing a plan to remediate them during building demolition, install a vapor barrier system, record an environmental covenant restricting the Site use to non-commercial use and limiting groundwater withdraw, developing and implementing a long-term stewardship plan to monitor the groundwater. The Site is currently owned by Playtex Manufacturing, Inc. DNREC issued public notice of the Proposed Plan for the Site on July 7. There were no comments or questions from the public regarding the Proposed Plan. The public may appeal this Final Plan for a period of, twenty (20) days from the date of this notice, ending **August 19**. For additional information, please contact Rick Galloway, Project Manager, or Robert Newsome, Public Information Officer, at (302) 395-2600; or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2441&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **AMENDED FINAL PLAN OF REMEDIAL ACTION FOR THE SYNTECH SITE OU-1**

**(DE-0173)** - The Department has adopted a plan regarding the clean-up of the Syntech Site Operable Unit (OU-1) located at 785 Dawson Drive in Newark. The Department will require an Environmental Covenant for the Site restricting it to non-residential use. The agency issued a public notice of the Amended Proposed Plan for the Syntech Site OU-1 on July 6. You have until **August 25** to appeal this Final Plan. For additional information, please contact Robert C. Asreen, Jr., Project Managers, or Robert Newsome, Public Information Officer, at (302) 395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2444&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **PROPOSED PLAN OF REMEDIAL ACTION FOR THE HAMILTON PARK/PYLES LANE SITE (OPERABLE UNITS-7, 8, 9, AND 10) (DE-1284)-**

The Department invites public comment on a proposal to cleanup Operable Units (OU) - 7, 8, 9, and 10 of the Hamilton Park/Pyles Lane Site located in New Castle. The Hamilton Park/Pyles Lane Site is a residential neighborhood. This Proposed Plan addresses four (4) properties within the Site that are designated as OU-7, OU-8, OU-9, and OU-10. These properties are located at 107 Hamilton Street, 105 Hamilton Street, 103 Center Street, and 102 Center Street, respectively. The comment period ends on **August 25**. For additional information, please contact Lindsay Hall, Project Manager, or Robert Newsome, Public Information Officer, at (302)395-2600 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2446&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - SURFACE WATER DISCHARGES** – The Division of Water hereby gives notice that the following permit applications have been received.

#### **Wastewater Facilities Construction Permit**

New Castle County to construct upgrades to the existing Red Lion Sewage Pumping Station, including removal of the existing building, construction of a new block building and wet well, three (3) new submersible pumps, bypass pumping connection and generator, and electrical and mechanical upgrades, to increase capacity from 1,800 gallons per minute (gpm) to 2,500 gpm, located at 1874 Bear-Corbitt Road (DE Route 7, County Road 5), just south of Red Lion Road (County Road 35), Red Lion/Bear area, Red Lion Hundred, New Castle County. A public hearing concerning the above application will NOT be held unless the Secretary of DNREC determines that a hearing is in the public interest or if a written meritorious request for a hearing is received on or before **August 14**. For additional information contact Molly Mackil at (302) 739-9946 or visit: DNREC – Division of Water, Surface Water Discharges Section or the link below:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2438&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Wastewater Treatment and Disposal Permit**

Formosa Plastics Corporation has submitted a renewal application for an operating permit for an on-site wastewater treatment and disposal system. The system has been designed to accommodate 4,025 gallons per day of wastewater. The site is located at 780 Schoolhouse Road, New Castle County; tax map # 12-013.00-013. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by **August 25**. A public



hearing request shall be deemed meritorious if it exhibits a familiarity with the application and provides a reasoned statement of the action's probable impact. The application for this permit may be inspected by contacting: Kathleen Saunders, Ground Water Discharges-89 Kings Highway, Dover, DE 19901,(302) 739-9948 or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2447&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

### **National Pollutant Discharge Elimination System Permit**

The City of Dover – McKee Run Generating Station has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0050466 and State Permit Number WPCC 3105F/75) to discharge storm water to the Saint Jones River from their facility located at 880 Buttner Place. This facility is part of a grid and power is generated on a demand basis. As indicated in the NPDES permit renewal application, the plant consists of two (2) 17 MW Units and (1) 102 MW Unit. Each unit uses a Number 2 fuel oil and natural gas fired boiler to generate steam. Power is generated on an average of four months out of a year, predominately generated during the summer months. The City of Wilmington Department of Public Works has applied for re-issuance of its National Pollutant Discharge Elimination System permit ("NPDES" Permit No. DE 0020320 and State Number WPCC 3074E/74) to discharge treated sanitary wastewater from the Wilmington Regional Waste Water Treatment Plant (WWTP) to Zone 5 of the Delaware River. The City's application also includes 40 combined sewer overflow (CSO) points that discharge to tributaries of the Delaware River (Brandywine River, Christina River, Little Mill Creek, and Shellpot Creek) during wet weather conditions when flows exceed the hydraulic capacity of the conveyance facilities. Five (5) storm water outfalls from the WPCF site discharge to Shellpot Creek. Veolia Water NA, LLC operates the WWTP and holds joint and several liabilities as co-permittee for the sanitary wastewater and storm water discharges from the WWTP but not the CSO outfalls. Solids treatment consists of gravity and gravity belt thickening of primary and secondary biosolids, anaerobic digestion, polymer addition, dewatering (centrifuge and thermal drying), and off-site biosolids disposal. A public hearing on the two "NPDES" permits above will NOT be held unless the Secretary of DNREC receives a request by 4:30 p.m. on **August 29** or if the Secretary determines that a public hearing is in the public interest. For additional information concerning National Pollutant Discharge Elimination System Permit applications listed below contact Anthony E. Hummel at (302) 739-9946 or visit DNREC – Division of Water, Surface Water Discharges Section or visit:

<http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2440&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAIItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WATER SUPPLY** - The Division of Water hereby gives notice that the following permit applications have been received. A public hearing on the below applications will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by. For additional information, please contact: Brian Churchill at (302)739-9945 or visit: DNREC-Division of Water, Water Supply Section.

### **Agricultural Utilization Permit Request for Renewal**

Dogfish Head Craft Brewery of Milton, Delaware, requested renewal of their existing agricultural utilization permit, State Permit Number AGU 0903-S-05. The current permit authorizes the surface application of limited quantities of brewery vessel wash down water at agronomic rates onto approved portions of five farms known as Payton Farm, Baker Farm, Burton Farm, Sequoia Farm and the Spicer Farm, comprising a total of approximately 121 acres of farmland, located near the Town of Milton in Sussex County, Delaware. The wash down water is required to undergo periodic analysis for a list of specific parameters including nutrient content. Hydrologic load and nutrient content limit the application volume onto permitted farms. The wash down wastewater will be delivered to the land application sites in accordance with Delaware Waste

Transporters Permit No. OH-103 and does not contain sanitary wastewater. Part V of the Department's Guidance and Regulations Governing the Land Treatment of Wastes allows for such activity pending public notice. A public hearing on the above application will NOT be held unless the Secretary of DNREC determines that a public hearing is in the public interest or if a written meritorious objection to the application is received by close of business day on **August 22**. Copies of the permit above are available upon request. For additional information visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2428&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

**DIVISION OF WATER - WETLANDS AND SUBAQUEOUS LANDS SECTION** – The Division of Water hereby gives notice that the applications below are available for inspection or copies may be obtained by contacting: Gayle Calder, Wetlands and Subaqueous Lands Section, 89 Kings Highway, Dover – 19901, or by calling (302) 739-9943. This notice expires **August 19**. For more information on the applications listed below please visit: <http://www.dnrec.delaware.gov/Lists/Public%20Notices/DispForm.aspx?ID=2437&Source=http%3A%2F%2Fwww%2Ednrec%2Edelaware%2Egov%2FLists%2FPublic%2520Notices%2FAllItems%2Easpx&ContentTypeld=0x010034FD6D348B0CF04392485E93FC15AB3A>

#### **Subaqueous Lands Permit Application**

Town of Dewey Beach (Tax Parcel #N/A) To replace Tideflex valves on two existing 18 in. diameter RCP storm drains in the Rehoboth Bay at the end of W. Read St., Dewey Beach, Sussex, DE

273 Properties, LLC. (Tax Parcel #26-060-006) To install 230 linear feet of 30 inch diameter HDPE culvert pipe and fill 5772 sq. ft. of subaqueous lands to facilitate remediation of a registered brownfield site in an unnamed tributary to the Christina River at 721 Terminal Ave, Wilmington.

DNREC Division of Watershed Stewardship (No Tax Parcel) To enhance and restore the Bridgeville Branch Tax Ditch by implementing 1,600 linear feet of in-channel restoration/modification, to fill 1,971 square feet of subaqueous lands with 1,511 cubic yards of fill, to install 50 linear feet of rip-rap toe protection, to add a riffle habitat structure, and to complete vegetative stabilization between N. Main Street and N. Cannon Street, Bridgeville.

#### **Subaqueous Lands Permit and Water Quality Application**

Division of Watershed Stewardship (No Tax Parcel) To maintenance dredge 225 cubic yards of accumulated sediment at the dead end of a lagoon between High Tide Lane and Oyster Bay Drive Fenwick Island, Sussex County, DE

#### **Subaqueous Lands Supplemental and Water Quality Application**

Dewey Beach Enterprises (Tax Parcel 3-34-23.06-1.00) To place 400 cubic yards of sand on the existing Dewey Bayside Public Beach for beach replenishment adjacent to the Rehoboth Bay at the terminus of Van Dyke Avenue, Lighthouse Cove, Dewey Beach.

#### **Subaqueous Lands Lease Application**

Sharp Farm, LLC. (Tax Parcel # 2-35-16.00-2.00) To continue to utilize a 3.5 by 13.5 foot gangway, 6 by 154 foot floating dock, 5 by 27 foot pier, 7 by 9 foot pier, 7 by 98 foot dock, 15 by 19 foot ramp and 255 linear feet of stone rip-rap in the Broadkill River at 28465 Paynter Road, Milton.

Janet Kennedy (3-35-8.08-139.00) To remove a grandfathered 6 by 15 foot pier and a 8 by 130 foot dock, to replace with a 4 by 15 foot pier and a 5 by 50 foot dock in the L&R canal at Lot 3A, Bayview Addition, Lewes.

### **Wetland Application**

Delmarva Power & Light Co. - (linear project – various parcels) – to temporarily impact 42,833 square feet of wetland by access matting and 5,937 linear feet by low ground pressure vehicles in State regulated wetlands in the Red Lion Creek and the Christina River watersheds for maintenance of utility structures extending from the Red Lion Substation at Route 9, Delaware City and the Hay Road Substation, Wilmington.

### **EMPLOYEE UPDATES**

Nicole D. Hill moved from the Division of Air Quality to take on **new duties** as an Administrative Specialist I for the Financial Assistance Branch (FAB). Congratulations!

Monica Boyer has moved from the Water Supply Section to the Ground Water Discharges Section in the Division of Water. Monica has been **promoted** to a Senior Environmental Compliance Specialist and will be regulating the 23 wastewater spray irrigation facilities in the State. Congratulations!

### **CONTACT INFORMATION**

24-Hour Report and Spill Notification Line - 1-800-662-8802  
Aboveground Storage Tanks - 302-395-2500  
Air Quality - New Castle Office - 302-323-4542  
Air Quality – Kent & Sussex – 302-739-9402  
Asbestos New Castle - 302-323-4542  
Asbestos Kent & Sussex - 302-739-9402  
Biosolids Permits - 302-739-9946  
Boiler Safety - 302-744-2735  
Brownfields - 302-395-2600  
Delaware Estuary Program - 302-739-9283 (Delaware Coastal Management Program)  
Division of Air Quality Director's Office - 302-739-9402  
Division of Waste and Hazardous Substances Director's Office - 302-739-9400  
Division of Water Information - 302-739-9950  
Dock/Dredging/Bulkheads/Rip-Rap/Wetlands & Subaqueous Lands - 302-739-9943  
Emergency Prevention and Response - 302-739-9404  
Environmental Crimes Unit - 302-739-9401 or 1-800-662-8802  
Environmental Laboratory - 302-739-9942  
Hazardous Waste - 302-739-9403  
Industrial Stormwater Permits - 302-739-9946  
Loans & Grants for Wastewater and Septic's (Financial Assistance Branch) - 302-739-9941  
Medical Waste - 302-739-9403  
Non-Hazardous Liquid Waste Transporters - 302-739-9948  
On-site Wastewater Licensing Program - 302-739-9948  
Open Burning - 302-739-9402  
Outreach Ombudsman - 302-395-2600  
Recycling - 302-739-9403  
Septic System Permits - Large Systems (Community & I/A) Statewide - 302-739-9948  
Septic System Permits - Small Systems for Kent & New Castle Counties - 302-739-9947  
Septic System Permits - Small Systems for Sussex County & Holding Tank Compliance Program  
302-856-4561  
Site Investigation & Restoration Section (Superfund/Brownfields) - 302-395-2600  
Solid Waste - 302-739-9403  
Source Water Protection - 302-739-9945



Surface Water Discharge Permits (NPDES) - 302-739-9946  
Underground Injection Control & Spray Irrigation - 302-739-9948  
Underground Storage Tanks - 302-395-2500  
Wastewater Collection, Conveyance and/or Treatment Facility Construction Permits - 302-739-9946  
Wastewater Treatment Facility Operators - 302-739-9946  
Water Allocation Permits - 302-739-9945  
Water Testing - Drinking Water (Division of Public Health) - 302-741-8630  
Water Supply - 302-739-9945  
Well Driller's License - 302-739-9944  
Well Permits & Licensing - 302-739-9944  
Wells - 302-739-9944  
Wetlands and Subaqueous Lands Section - 302-739-9943